

Proposal for a Joint Special Session at the AMS-ASL Meeting of 2009, January 5-8, 2009, Washington, D.C.

Approved by the ASL, still needs approval of the AMS.

Model Theoretic Methods in Finite Combinatorics

Organizers:

- Martin Grohe
Institut für Informatik, Humboldt-Universität zu Berlin Berlin, Germany
homepage: www2.informatik.hu-berlin.de/~grohe/
e-mail: grohe@informatik.hu-berlin.de
- Johann A. Makowsky (corresponding organizer)
Department of Computer Science,
Technion - Israel Institute of Technology, Haifa, Israel
homepage: www.cs.technion.ac.il/~janos
e-mail: janos@cs.technion.ac.il

Purpose of the special session

We want to bring the various aspects of the interaction between **Model Theory** and **Finite Combinatorics** to a wider audience. Although the work on 0-1 laws is by now widely known, the other applications on counting functions, graph polynomials, extremal combinatorics, graph minors and regularity lemmas, have not yet received their deserved attention.

Background

In the last twenty years several applications of Logic, in particular Model theory, to problems in Combinatorics emerged. Among them we have

- 0-1 laws and their variations.
This is well summarized in the book by J. Spencer [Spe01].
- Modular linear recurrence relations for combinatorial counting functions (The Specker-Blatter Theorem)
This theorem has remained widely unnoticed, and deserves wider attention and further study [Spe88, Fis03, FM03]
- Recent progress in understanding the ultimate periodicity of finite spectra by Y. Gurevich and S. Shelah, and E. Fischer and J.A. Makowsky [FM04].
- Applications of meta-theorems which apply to whole families of combinatorial problems, instead of just specific problems.
This was pioneered by B. Courcelle and S. Arnborg, J. Lagergren and

D.Seese, in applications of definability in Monadic Second Order Logic to graph algorithms, and summarized in J.A. Makowsky [Mak04] and M. Grohe [Gro07].

- The use of model theoretic methods in designing algorithms for the computation of forbidden minors, [AGK08].
- The use of definability criteria in the study of graph polynomials (Tutte polynomial and its relatives, matching polynomials, generalized chromatic polynomials) introduced by J.A. Makowsky [Mak05] and further developed together with B. Zilber [MZ06]. See also [Mak07, MF08].
- The realization that virtually all graph polynomials of the literature can be viewed as combinatorial counting functions which occur inside models of ω -stable ω -categorical theories, J. Makowsky and B. Zilber [MZ06].
- The use of model theory to unify results in extremal combinatorics, as in A. Razborov [Raz07].
- Recent work on the classification and characterization of partition functions by L. Lovasz and B. Szegedy and their collaborators, and their complexity, cf. [BG05]. [FLS07, Sze07].
- The use of ultraproducts in the proof of the Regularity Lemma by B. Szegedy and G. Elek [ES07]. [ES].

Format of the special session

Expository lectures (40 minutes) and technical lectures (20 minutes) and a problem session.

Tentative speakers

1. Albert Atserias (TBA),
Departament de Llenguatges i Sistemes Informàtics Universitat Politècnica de Catalunya 08034 Barcelona, Spain.
homepage: www.lsi.upc.edu/~atserias/home.html
e-mail: atserias@lsi.upc.edu
2. Andreas Blass (TBA)
Mathematics Department, University of Michigan Ann Arbor, MI 48109-1043 U.S.A.
homepage: www.math.lsa.umich.edu/~ablass/
email: ablass@umich.edu
3. Andrei Bulatov (Partition functions)
Department of Computing Science, Simon Fraser University, Burnaby, B.C. Canada
homepage: www.cs.sfu.ca/~abulatov/
e-mail: andrei.bulatov@gmail.com

4. Bruno Courcelle (TBA)
Laboratoire Bordelais de Recherche en Informatique, F-33405 Talence,
France
homepage: www.labri.fr/perso/courcell/
e-mail: courcell@labri.fr
5. Eldar Fischer (The Specker Blatter Theorem)
Department of Computer Science, Technion - Israel Institute of Technol-
ogy, Haifa, Israel
homepage: www.cs.technion.ac.il/~eldar
e-mail: eldar@cs.technion.ac.il
6. Stephan, Kreutzer (TBA)
Oxford University Computing Laboratory, University of Oxford, Oxford,
England
homepage: web.comlab.ox.ac.uk/oucl/work/stephan.kreutzer/
e-mail: stephan.kreutzer@comlab.ox.ac.uk
7. Johann Makowsky (Definability of graph polynomials)
Department of Computer Science, Technion - Israel Institute of Technol-
ogy, Haifa, Israel
homepage: www.cs.technion.ac.il/~janos
e-mail: janos@cs.technion.ac.il
8. Jaroslav Nešetřil (Duality theorems and their applications)
Department of Applied Mathematics, Faculty of Mathematics and Physics,
Charles University, Prague, Czech Republic
homepage: kam.mff.cuni.cz/~nesetril/en/
e-mail: nesetril@kam.mff.cuni.cz
9. Alexander Razborov (Flag algebras)
Department of Mathematics, Institute of Advanced Studies, Princeton,
N.Y., USA, and Mathematical Institute, Russian Academy of Sciences,
Moscow, Russian Federation
homepage: www.mi.ras.ru/~razborov/
email: razborov@ias.edu
10. Balazs Szegedy (Ultraproducts and Regularity Lemmas)
Department of Mathematics, University of Toronto, Toronto, Canada
homepage: <http://www.math.toronto.edu/szegedy/>
e-mail: szegedy@math.toronto.edu
11. Boris Zilber (Combinatorial counting functions and categoricity)
Mathematical Institute, University of Oxford, Oxford, England
homepage: www2.maths.ox.ac.uk/~zilber/
e-mail: zilber@maths.ox.ac.uk

Publishing proceedings

There is a possibility to publish proceedings in the *Contemporary Mathematics Series* of the AMS.

References

- [AGK08] I. Adler, M. Grohe, and S. Kreutzer. Computing excluded minors. In *19th Annual ACM-SIAM Symposium on Discrete Algorithms (SODA 2008)*, pages 641–650, 2008.
- [BG05] A. Bulatov and M. Grohe. The complexity of partition functions. *Theoretical Computer Science*, 348:148–186, 2005.
- [ES07] G. Elek and B. Szegedy. Limits of hypergraphs, removal and regularity lemmas. a non-standard approach. Available at: arXiv: 0705.2179, 2007.
- [Fis03] E. Fischer. The Specker-Blatter theorem does not hold for quaternary relations. *Journal of Combinatorial Theory, Series A*, xx:xx–yy, 2003. in print.
- [FLS07] M. Freedman, László Lovász, and A. Schrijver. Reflection positivity, rank connectivity, and homomorphisms of graphs. *Journal of AMS*, 20:37–51, 2007.
- [FM03] E. Fischer and J.A. Makowsky. The Specker-Blatter theorem revisited. In *COCOON'03*, volume xx of *Lecture Notes in Computer Science*, pages xx–yy. Springer, 2003.
- [FM04] E. Fischer and J.A. Makowsky. On spectra of sentences of monadic second order logic with counting. *Journal of Symbolic Logic*, 69(3):617–640, 2004.
- [Gro07] M. Grohe. Logic, graphs, and algorithms. Available at: <http://www2.informatik.hu-berlin.de/grohe/>, 2007.
- [Mak04] J.A. Makowsky. Algorithmic uses of the Feferman-Vaught theorem. *Annals of Pure and Applied Logic*, 126:1–3, 2004.
- [Mak05] J.A. Makowsky. Colored Tutte polynomials and Kauffman brackets on graphs of bounded tree width. *Disc. Appl. Math.*, 145(2):276–290, 2005.
- [Mak07] J.A. Makowsky. From a zoo to a zoology: Towards a general theory of graph polynomials. *Theory of Computing Systems*, xx:xx–yy, 2007.
- [MF08] J.A. Makowsky and E. Fischer. Linear recurrence relations for graph polynomials. In A. Avron, N. Dershowitz, and A. Rabinowitz, editors, *Boris (Boaz) A. Trakhtenbrot on the occasion of his 85th birthday*, volume 4800 of *LNCS*, pages 266–279. Springer, 2008.

- [MZ06] J.A. Makowsky and B. Zilber. Polynomial invariants of graphs and totally categorical theories. MODNET Preprint No. 21, <http://www.logique.jussieu.fr/modnet/Publications/Preprint%20server>, 2006.
- [Raz07] A. Razborov. Flag algebras. *Journal of Symbolic Logic*, 72.4:1239–1282, 2007.
- [Spe88] E. Specker. Application of logic and combinatorics to enumeration problems. In E. Börger, editor, *Trends in Theoretical Computer Science*, pages 141–169. Computer Science Press, 1988. Reprinted in: Ernst Specker, *Selecta*, Birkhäuser 1990, pp. 324-350.
- [Spe01] J. Spencer. *The Strange Logic of Random Graphs*. Springer, 2001.
- [Sze07] B. Szegedy. Edge coloring models and reflection positivity. Available at: arXiv: math.CO/0505035, 2007.